



This PDF is presented by Super Warehouse. All copyrights and trademarks are the property of their respective holders.

**We are here to serve you:**

For further information or if you would like to purchase this product, please call us during business hours Monday-Friday from 6am-6pm PST; or you can purchase 24/7 on our site.

**Contact Info:**

Visit us on the web: <http://www.superwarehouse.com>

Email an expert sales associate: [sales@superwarehouse.com](mailto:sales@superwarehouse.com)

Call Us Toll Free: 1-800-814-5410 Intl: 1-619-216-3465

Press Ext. 1 for Sales

**About Super Warehouse:**

- Over 50,000 brand name computer hardware and software products
- Discount prices
- Friendly and knowledgeable staff
- Five star customer service
- Free shipping on select orders
- Proudly serve business, education, and government clients (we ship to APO/AP and AE addresses)
- 16 warehouses throughout the country
- 99% of orders shipped the same day
- Fedex overnight and even same day shipping available
- In business since 1997
- CNET certified merchant
- Clients we have served include virtually all fortune 500 companies, the US military, thousands of schools, colleges and universities, and municipal, state, and federal government organizations



## PRO Series - Parallel Printer Cables

Belkin parallel printer cables interface AT and PS/2 compatible computers with DB25 female parallel ports and to all Hewlett Packard and compatible printers with 36 position centronics female parallel ports. Our PRO Series cables are fully molded and shielded to meet rigid FCC requirements. In fact, we're so confident of our manufacturing and quality assurance standards, that we offer a full Lifetime Belkin Product Warranty!

Belkin uses only the highest quality shielded bulk cable and connectors to insure data transmission in all environments. They are available in 6, 10, 15, 20, and 25 foot lengths, and they feature DB25 male/36 position centronics male connectors.

**NOTE:** See pages 22 for a listing of Belkin's **IEEE 1284 compliant printer cables.**




Non-IEEE Bi Directional Parallel Printer Cable  
F2A032-XX

### Non-IEEE Bi-Directional Parallel Printer Cables

DB25 Male/36 Position Centronics Male

Constructed with 26 AWG wire, molded on both ends.

F2A032-06	Pro PC Parallel Printer Cable, 6'	7-22868-10000-4
F2A032-10	Pro PC Parallel Printer Cable, 10'	7-22868-10002-8
F2A032-15	Pro PC Parallel Printer Cable, 15'	7-22868-10004-2
F2A032-20	Pro PC Parallel Printer Cable, 20'	7-22868-10006-6
F2A032-25	Premium PC Parallel Printer Cable, 25'	7-22868-10008-0
F2A011-50-E	Assembled Parallel Printer Extended Distance Parallel Printer Cable, 50'	7-22868-10695-2
A2A011-XX	Parallel Printer Cable. Substitute "XX" in cable assembly part number with desired length in feet	Custom



### Non-IEEE Parallel Printer Cables with Right Angle Centronics Connector

DB25 Male/36 Position Centronics Male

Constructed with 26 AWG wire, molded on both ends and designed with a right angle centronics connector for applications where there is limited space behind the printer.

F2A034-06	Pro PC Parallel Printer Cable, Right Angle, 6'	7-22868-10011-0
F2A034-10	Pro PC Parallel Printer Cable, Right Angle, 10'	7-22868-10382-1

### Non-IEEE Compatible Notebook/Laptop Parallel Printer Cable

DB25 Male/36 Position Centronics Male

Constructed with 26 AWG wire, molded on both ends and designed with a supple, flexible PVC jacket for easy storage in a notebook bag.

F2A031-02	Premium PC Compatible Notebook/Laptop Parallel Printer Cable, 30"	7-22868-10001-1
-----------	---	-----------------





Standard Parallel Printer Cable  
F2A036-XX

**Standard Parallel Printer Cables** DB25 Male/36 Position Centronics Male


Constructed with 28 AWG wire and molded on both ends.  
Bi-directional.

F2A036-06	Standard PC Parallel Printer Cable, 6'	7-22868-10381-4
F2A036-10	Standard PC Parallel Printer Cable, 10'	7-22868-10382-1

**Assembled Parallel Printer Cables** DB25 Male/36 Position Centronics Male

Constructed with 28 AWG wire. The DB25 male connector end comes with thumbscrews, but the cable assembly is non-molded on both ends. This cable is not bi-directional.

F2A032-06-E	Assembled Parallel Printer Cable, 6'	7-22868-10270-1
F2A032-10-E	Assembled Parallel Printer Cable, 10'	7-22868-10271-8
F2A032-15-E	Assembled Parallel Printer Cable, 15'	7-22868-11256-4
F2A032-25-E	Assembled Parallel Printer Cable, 25'	7-22868-11263-2



**Straight-Through Data Switchbox Cables**

Belkin produces multi-purpose Straight-Through cable assemblies in a variety of lengths. These are used when devices require straight-through cable assemblies, or when interfacing PCs and peripherals with manual data transfer switches or autoswitches. All cables listed below feature DB25 connectors with their respective genders and wiring configurations listed.

**25 Conductor, Straight-Through Cable Assemblies** Male/Male

F3D111-06	RS232 DB25 Cable Straight-Through, Male/Male, 6'	7-22868-10052-3
F3D111-10	RS232, DB25 Cable Straight-Through, Male/Male, 10'	7-22868-10054-7
F3D111-15	RS232, DB25 Cable Straight-Through, Male/Male, 15'	7-22868-10056-1
F3D111-20	RS232, DB25 Cable Straight-Through, Male/Male, 20'	7-22868-10058-5
F3D111-25	RS232, DB25 Cable Straight-Through, Male/Male, 25'	7-22868-10060-8
F3D111-50	RS232, DB25 Cable Straight-Through, Male/Male, 50'	7-22868-10746-1



25 Conductor, Straight-Through Cable Assembly  
F3D111-XX




## PRO Series - Straight-Through Data Switchbox Cables

### 25 Conductor, Straight-Through Cable Assemblies *Male/Female*

DB25 Male/Female cables can be used as cable extensions or as PC-to-modem cables, part number F2J088-XX.

F3D112-06	RS232, DB25 Cable Straight Through, Male/Female, 6'	7-22868-10064-6
F3D112-10	RS232, DB25 Cable Straight Through, Male/Female, 10' (Equiv. to HP® #17355D.)	7-22868-10066-0
F3D112-15	RS232, DB25 Cable Straight Through, Male/Female, 15'	7-22868-10068-4
F3D112-20	RS232, DB25 Cable Straight Through, Male/Female, 20'	7-22868-10070-7
F3D112-25	RS232, DB25 Cable Straight Through, Male/Female, 25'	7-22868-10072-1
F3D112-30	RS232, DB25 Cable Straight Through, Male/Female, 30'	7-22868-11730-9
F3D112-50	RS232, DB25 Cable Straight Through, Male/Female, 50'	7-22868-10071-4



### 25 Conductor, Straight-Through Cable Assemblies *Female/Female*

A3D113-06	RS232, DB25 Cable Straight Through, Female/Female, 6'	7-22868-12195-5
A3D113-10	RS232, DB25 Cable Straight Through, Female/Female, 10'	7-22868-11952-5



Centronics Data Switch Cable  
F2E020-XX

### Centronics Data Switch Cables *36 Position Centronics Male/Male*

Commonly used to interface a parallel data switch with a 36-position centronics female connector to a parallel printer with the corresponding 36 position centronics female connector.

F2E020-06	Centronics Switchbox Parallel Printer Cable, Molded, 6'	7-22868-10012-7
F2E020-10	Centronics Switchbox Parallel Printer Cable, Molded, 10'	7-22868-10014-1
F2E020-15	Centronics Switchbox Parallel Printer Cable, Molded, 15'	7-22868-12240-2
A2E017-XX	Centronics Parallel Printer Cable, Assembled. Substitute "XX" in cable assembly part number with desired length in feet.	Custom

### Centronics Parallel Extension Cables *36 Position Centronics Male/Female*

F2E021-06	Centronics Switchbox Parallel Extension Cable, Molded, 6'	7-22868-10700-3
F2E021-10	Centronics Switchbox Parallel Extension Cable, Molded, 10'	7-22868-10701-0
A2E018-XX	Centronics Switchbox Parallel Extension Cable, Molded, Custom Length	Custom

