



This PDF is presented by Super Warehouse. All copyrights and trademarks are the property of their respective holders.

**We are here to serve you:**

For further information or if you would like to purchase this product, please call us during business hours Monday-Friday from 6am-6pm PST; or you can purchase 24/7 on our site.

**Contact Info:**

Visit us on the web: <http://www.superwarehouse.com>

Email an expert sales associate: [sales@superwarehouse.com](mailto:sales@superwarehouse.com)

Call Us Toll Free: 1-800-814-5410 Intl: 1-619-216-3465

Press Ext. 1 for Sales

**About Super Warehouse:**

- Over 50,000 brand name computer hardware and software products
- Discount prices
- Friendly and knowledgeable staff
- Five star customer service
- Free shipping on select orders
- Proudly serve business, education, and government clients (we ship to APO/AP and AE addresses)
- 16 warehouses throughout the country
- 99% of orders shipped the same day
- Fedex overnight and even same day shipping available
- In business since 1997
- CNET certified merchant
- Clients we have served include virtually all fortune 500 companies, the US military, thousands of schools, colleges and universities, and municipal, state, and federal government organizations



For the Enterprise

# ORiNOCO™ AP-2000 Access Point

## Broadband Wireless Networking for the Enterprise

### High performance Access Point

The high performance ORiNOCO AP-2000 extends the range of your cabled Ethernet network and provides easy network access for mobile users and in difficult to wire locations. Web-enabled and SNMP network management makes it easy to embed the AP-2000 in the comprehensive network management system of a large enterprise or service provider.

### Protect your investment

The AP-2000 can easily migrate from 2.4 GHz to 5 GHz radio technology. This serves to protect infrastructure investment over the long-term. In addition, network capacity can be doubled by using two ORiNOCO Network Interface Cards, with each operating on different frequency channels to increase capacity.

### Enhanced security

The AP-2000 utilizes the IEEE 802.1x security standard that authenticates the client and distributes the WEP key automatically. The AP-2000 also changes the key on a frequent basis, greatly reducing the risk of interception. IEEE 802.1x is an integrated part of the Windows XP operating system.

The AP-2000 architecture supports a wireless-to-wireless bridging feature for large open areas, like warehouses and retail stores, enabling enterprise networks to expand, without adding to the wired backbone.


The AP-2000 Access Point is part of the complete ORiNOCO product family of infrastructure and client products—all you need to deliver wireless LAN functionality in your enterprise.

### AP-2000 FEATURES

- Dual slot architecture for optimal configuration flexibility and migration to 5GHz radio technology
- High performance 11 Mbit/s data rate
- Wide coverage range of up to 1,750ft/550 m
- Industry-leading radio design
- IEEE 802.11b (Wi-Fi) certified
- 64-bit WEP and 128-bit RC4 encryption and MAC Address Control Table and RADIUS authentication
- IEEE 802.1x for enhanced security of the Wi-Fi system with certificate authentication and automatic WEP key distribution
- Web-based, full SNMP management, with embedded Telnet/CLI support
- Powerful performance for the most demanding network applications, ready for the high speeds of future radio technology
- Optional Active Ethernet for lower installation cost
- Enhanced roaming across disparate locations and infrastructures



The ORiNOCO AP-2000 Access Point is a cost-effective, full-featured wireless bridge that extends the range of wired Ethernet networks. The ORiNOCO AP-2000 enables easy migration to 5 GHz, to protect your infrastructure investment. With full support to create wireless backbones, the AP-2000 delivers the freedom to expand and work more efficiently.



## About Agere Systems

The Wireless Communications and Networking Division (WCND) of Agere Systems, formerly known as the microelectronics division of Lucent Technologies, is a global leader in wireless local area network (WLAN) technology. It designs and sells ORiNOCO wireless LAN products and solutions through a network of leading OEM customers. Agere Systems has also established WLAN sales channels to service providers, enterprise customers and end-users through several e-commerce sites and a vast array of value-added resellers. The ORiNOCO line of products encompasses a full range of indoor and outdoor WLAN products, as well as enhanced security products for public areas and security-conscious enterprises.



The Standard For  
Wireless Fidelity

Wi-Fi is a trademark of the Wireless Ethernet Compatibility Alliance, Inc. Windows and Windows Me are registered trademarks of Microsoft Corporation.

More information on ORiNOCO products:

[www.orinocowireless.com](http://www.orinocowireless.com)

## ORiNOCO AP-2000 Specifications

### ADDITIONAL FEATURES

- 5GHz migration platform
- Extended MIBs and traps
- TFTP kernel upload
- Access Control Table and RADIUS authentication
- Link Integrity
- Static MAC filtering
- Protocol filtering
- DHCP support (client and server)
- Telnet/CLI (embedded in the box)
- Wireless Distribution System
- SpectralLink VoIP support
- 802.1x support (auto key management, certificate authentication)
- Load balancing
- Spanning Tree Protocol
- Multicast/broadcast storm filtering

### INTERFACE

Ethernet Interface	10/100 base-T Ethernet (RJ-45)
Wireless Interface	2 CardBus slots for radio NIC
RS-232	Unit configuration

### HARDWARE SPECIFICATION

Processor	Intel SA110 – 233MHz
Memory	16 MB SDRAM 8 MB Flash
Local Bus	66 MHz, 32 bit, 264 Mbit/s peak
Ethernet controller	National DP83851 MacPhyter, providing hardware Ethernet filter

### PHYSICAL SPECIFICATIONS

Dimensions	50 mm x 185 mm x 261 mm (2.0 in. x 7.3 in. x 10.2 in.)
Weight	1.75 kg (3.86 lb.)

### ENVIRONMENTAL SPECIFICATIONS

	Temperature	Humidity	Pressure
Operating	0°C to 40°C	95% (non-condensing)	740 – 1050 hPa
Storage	-10°C to 50°C	95% (non-condensing)	

### POWER SUPPLY

Types	Integrated module Autosensing 100/240 VAC; 50/60 Hz
Voltage	0.2 A

### MECHANICAL SPECIFICATION

- Modular design
- Plastic cover
- Metal mounting plate that allows for placement on a wall, ceiling or table

### LEDs

4 LEDs:	Power Ethernet LAN Activity Wireless Activity Slot A Wireless Activity Slot B
---------	--

### MANAGEMENT

- Full SNMP management
- ORiNOCO MIB, Etherlike MIB, MIB-11, Bridge MIB
- Telnet CLI, Serial Port CLI (no proxy required)
- ORiNOCO Manager (not included)
- Standard & ORiNOCO traps
- TFTP support
- HTTP server for web-based management
- Remote link test

### WARRANTY

1 year (on parts and labor)

### PACKAGE CONTENTS

- AP-2000 Access Point
- Mounting plate
- Power supply (or splitter in case of the AE version)
- Processor module
- Plastic cover
- Power cord
- Quick Installation Guide
- Mounting materials
- CD-ROM with software and documentation

### RELATED PRODUCTS

Range Extender Antenna (2.5 dBi), ORiNOCO USB Client, ORiNOCO PC Card, ORiNOCO Active Ethernet

agere systems

Agere Systems Inc. All Rights Reserved. ORiNOCO, Agere Systems and the Agere Systems logo are trademarks of Agere Systems Inc. in the United States and other countries. This document is for planning purposes only and is not intended to modify or supplement any specifications or warranties relating to Agere Systems products. Agere Systems may make changes to specifications and product descriptions at any time, without notice. Copyright © 2001 Agere Systems Inc. All rights reserved. Printed in U.S.A.