



This PDF is presented by Super Warehouse. All copyrights and trademarks are the property of their respective holders.

We are here to serve you:

For further information or if you would like to purchase this product, please call us during business hours Monday-Friday from 6am-6pm PST; or you can purchase 24/7 on our site.

Contact Info:

Visit us on the web: <http://www.superwarehouse.com>

Email an expert sales associate: sales@superwarehouse.com

Call Us Toll Free: 1-800-814-5410 Intl: 1-619-216-3465

Press Ext. 1 for Sales

About Super Warehouse:

- Over 50,000 brand name computer hardware and software products
- Discount prices
- Friendly and knowledgeable staff
- Five star customer service
- Free shipping on select orders
- Proudly serve business, education, and government clients (we ship to APO/AP and AE addresses)
- 16 warehouses throughout the country
- 99% of orders shipped the same day
- Fedex overnight and even same day shipping available
- In business since 1997
- CNET certified merchant
- Clients we have served include virtually all fortune 500 companies, the US military, thousands of schools, colleges and universities, and municipal, state, and federal government organizations

THE DOCUMENT COMPANY
XEROX



Phaser™ 4400
Laser Printer

Speeds Ahead of its Class



THE DOCUMENT COMPANY

XEROX[®]**big printer performance**

Quality prints in less time is what the Phaser 4400 is all about. Get beautiful prints at maximum resolution without sacrificing print quality for speed.

- 26 ppm races through long or multiple-set print jobs.
- True 1200 x 1200 dpi resolution at full engine speed for crisp text and beautifully detailed images exhibiting a wide range of tones.
- 266 MHz RISC processor maintains engine speed when handling even large, complex applications.
- 11-second first-page-out time means your first print will be waiting in the tray for you.
- Peak volume printing is no problem with a maximum 150,000 monthly duty cycle.



Phaser 4400

Laser Printer

The Xerox Phaser 4400 brings quality, value, and efficiency to the office.

Today's fast-paced offices need a printer that can not only keep up with them, but also do it for less. The Phaser 4400 has what it takes to keep your office working — not the other way around. And it's so easy to install, use and maintain that you won't know how you ever worked without it.



Phaser™ 4400

Laser Printer

easy to use for the whole office

The Phaser 4400 is a safe, dependable choice for worry-free printing. It is easy to use and manage for even the most inexperienced user. Plus, if the printer is getting low on paper or toner it can alert you before it runs out – keeping you working.

- The Xerox proactive Smart Driver senses your printing habits and automatically adjusts to save you time and effort.
- A full compliment of Xerox WorkSet features are included with your Phaser 4400, including job pipelining with compression, MailinX e-mail alerts, and Booklet printing. Plus you get Saved Print, Secure Print, Proof Print, and Direct PDF Printing with a hard disk.
- Easily manage, configure, and diagnose the Phaser 4400 from your desktop using its CentreWare® Internet Services (IS) embedded Web server.



smart printing for great work

When you connect a Phaser 4400 to your network, you can take advantage of Xerox CentreWare software. It provides quick and convenient access to a wealth of features, including printer and job status; in-depth accounting information, e-mail alerts; and simplified network administration.

Phaser Installer makes network installation a simple one-click process

Printer administrators will benefit from CentreWare® Web to manage all the printers on their network (including non-Xerox network printers) using a standard Web browser.

Dynamic driver interface provides real-time printer status, automatically selects the correct tray, and detects office application settings.

Enhanced PrintingScout provides instant pop-up messages on your monitor if any roadblocks arise during your print job.

The smart Phaser 4400 can even troubleshoot on its own with PhaserSMART™, our unique Internet-based automated support system.

better printing for less money

With everything you get, the feature-packed Phaser 4400's reasonable price makes it an outstanding value. Its robust, dependable engineering, media flexibility, and print quality give busy offices everything they need in a network printer.

- The entry network model includes 550-sheet input tray, 64 MB of memory, true Adobe® PostScript® 3™, and a full-size standard-capacity print cartridge (not a starter cartridge).
- Decades of Xerox engineering of document handling devices is built into the paper pick and feed system on the Phaser 4400, making it extremely reliable and worry-free (approximately one jam for every 10,000 prints).
- Available high-yield print cartridges minimize printer interventions and save money.
- The Phaser 4400's proven, 2nd generation reliability is backed by a full one-year on-site warranty and the unmatched Xerox Total Satisfaction Guarantee.



Adobe® PostScript® 3™

flexible and reliable paper handling

The Phaser 4400's reliable paper pick and feed system allows all types of media up to 133 lb. cardstock (216 gsm) to be fed through the standard tray, including envelopes. Custom sizes anywhere between 3 x 5 in. and 8.5 x 14 in. are also supported. Plus, Xerox's brilliant Smart Tray technology allows you to see on your screen what size of paper is in the tray.

The optional 500-sheet stacker with offset both expands output capacity and separates print jobs for easy distribution.

Large output bin can hold up to 500 sheets.

Standard 100-sheet multi-purpose tray.

The standard 550-sheet paper tray allows you to add a full ream of paper before the tray is empty. Plus, the size of paper in the tray can be seen on your printer driver thanks to the Phaser 4400's auto size-sensing technology.

Up to two additional 550-sheet trays are available for a total input capacity of 1,750 sheets.



need more information?

Find it at www.xerox.com/officeprinting

See it in action. Visit your Xerox reseller, or see a virtual demo: www.xerox.com/officeprinting/4400demo

Industry awards. The predecessor to the Phaser 4400, the DocuPrint® N2125, garnered numerous top awards and recognitions from *PC Magazine*, *PC World*, *Macworld*, and *Government Computer News*.

Networking. Our Web site is loaded with details on network cards, protocols, printer management tools, and drivers: www.xerox.com/officeprinting/networking

Services & support. Learn about Xerox Total Satisfaction Services™ award-winning service: www.xerox.com/officeprinting/support

THE DOCUMENT COMPANY
XEROX

Phaser™ 4400
Laser Printer



Configurations

	4400B	4400N	4400DT	4400DX
Performance				
Print speed	26 pages per minute (ppm)			
First page out	11 seconds			
Memory (Std / Max)	32/224 MB RAM			64/256 MB RAM
Processor/PDL	266 MHz RISC processor, Adobe® PostScript® 3™, PCL 5e, PCL 6 emulation			
Hard disk (20 GB)	Optional		Standard	
Maximum duty cycle	Up to 150,000 pages per month			
Print quality				
Maximum resolution	600 x 600 dpi	True 1200 x 1200 dpi		
Networking				
Network connectivity	Bi-directional Parallel, USB	10/100Base-TX Ethernet, Bi-directional Parallel, USB		
Paper Handling				
Automatic 2-sided printing	Optional			Standard
Paper input capability	550-sheet standard tray, 100-sheet multi-purpose tray			
Standard			Additional 550-sheet tray	
Paper output capability	500-sheet output tray			
Standard				500-sheet stacker
Productivity				
Standard features	Smart trays, Custom page sizes, Phaser Installer, Edge-to-edge printing, Job Pipelining with Compression			
	Embedded Web Server, Remote printing, E-mail alerts, Enhanced PrintingScout, PhaserSMART, Job Accounting, Usage Analysis Tool			
				Booklet printing
	Optional Hard Disk required		Proof/Secure/Saved print, PDF-direct, Extended font storage	
Warranty	One year On-site, Xerox Total Satisfaction Guarantee			

Supplies

Consumables	
Standard-Capacity (10k) Print Cartridge	113R00627
High-Capacity (15k) Print Cartridge	113R00628
Maintenance Kit (110V)	108R00497
Options	
Phaser 4400B to 4400N Upgrade	098S04703
550-sheet Feeder (letter/legal)	097S02878
75-envelope Feeder	097S02879
Duplex Module	097S02880
500-sheet Stacker with Offset	097S02881
Hard Disk (20 GB)	097S02917
32 MB Phaser Memory	097S02923
64 MB Phaser Memory	097S02912
128 MB Phaser Memory	097S02913
16 MB Flash Memory	097S02914

For media offerings, visit
www.xerox.com/officeprinting/supplies



Specifications

Network/Software
Printer management: Xerox CentreWare Printer Management for Microsoft, Novell and Unix, CentreWare IS Embedded Web Server, CentreWare Web Administrator, Xerox NDPS Gateway, Usage Analysis Tool (not available on non-networked model)
Font capabilities: 39 Resident PS fonts and 81 PCL. Additional 97 PS fonts with optional hard disk.
Printer drivers: Windows 95/98/Me, Windows NT 4.x, Windows 2000/XP, MacOS 8/9/X version 10.1, Novell NetWare 3.x/4.x/5.x/6.x, UNIX (Linux 5.2+, Sun OS 4.x Sun Solaris 2.4+, DEC, HP/UX 11.x, IBM AIX 4.2+, SGI, SCO)
Languages: True Adobe PostScript 3, PCL 5e and PCL 6 emulations with automatic sensing and switching
Paper handling
Media input: <i>Standard:</i> 550-sheet main tray, 100 sheet multi-purpose tray. <i>Optional:</i> 550-sheet feeder (standard on the 4400DT, 4400DX). Up to two additional trays can be added.
Media output: <i>Standard:</i> 500 sheets face down. <i>Optional Stacker with Offset:</i> 500 sheets face down (standard on the 4400DX)
Media types: <i>In all trays:</i> 16-54 lb. (60-216 gsm) bond and heavy plain papers, cardstock, labels, and envelopes. <i>Automatic 2-sided printing:</i> 16-28 lb. (60-105 gsm) bond. <i>Multi-Purpose Tray:</i> papers up to 133 lb. (216 gsm) cardstock, labels, and envelopes.
Media sizes: A/letter, legal, executive, statement, US folio, A4, A5, A6, B5 JIS, ISO B5, and Custom [size range: 3 x 5 in. (76 x 127 mm) to 8.5 x 14 in. (216 x 356 mm)]

Special features
Enhanced PrintingScout instantly displays pop-up Help if attention is needed throughout print job.
Phaser Installer automatically gets you printing in minutes.
PhaserSMART troubleshoots problems via an automated internet-based support system.
Productivity tools: Secure Print*, Proof Print*, Saved Print*, Edge-to-edge printing, Booklet Printing, Negative and mirror images, Scaling, Auto Fit, Watermarks, Custom size paper, Cover Pages, Collation Printing*, Remote Printing, Separation Pages, N-up printing, Load-while-run, PDF-direct Printing*, Saved Job Repository*, MailInX E-mail Alerts (*Requires hard disk)
Operating
Dimensions: Width: 16.6 in/422 mm, height: 16.3 in/413 mm, depth: 17.3 in/439 mm, weight: 55.1 lb/25 kg
Environmental: Temperature 5° to 35° C / 41° to 95° F, Relative Humidity: 15% to 85% (noncondensing), Noise Level: 4.9 B(A) standby, 6.7 B(A) running (ISO 7779, DIN EN 27779)
Electrical: Sleep mode, Energy Star Compliant, two models: 110-127 VAC, 50/60 Hz; 220-240 VAC, 50/60 Hz. Consumption (max): Printing: 525 Watts, Standby: 110 Watts, Power Saver: 20 Watts
Regulatory: FCC Part 15 Subpart B, UL listed to UL 1950, UL Certified to CSA—C22.2 No. 950-M95, FDA 21 CFR Sub J, CE Mark applicable to directives 73/23/EEC and 89/336/EEC, TUV - GS Mark, IEC 950 Second Edition (EN 60950, EN 55022)
Total Satisfaction Services
1-year On-site Warranty, online web technical support and telephone support. Innovative service offerings include optional extended Service Agreements and custom training for your internal Help Desk. The Phaser 4400 printer is backed by the Xerox Total Satisfaction Guarantee.



Copyright © 2002 XEROX CORPORATION. All rights reserved. Contents of this publication may not be reproduced without permission of XEROX CORPORATION. Xerox®, The Document Company®, the digital X, CentreWare®, and DocuPrint™ are registered trademarks of XEROX CORPORATION. Phaser™ and PhaserSMART™ are trademarks of XEROX CORPORATION. Total Satisfaction Services™ is a servicemark of XEROX CORPORATION. Adobe®, PostScript®, and Adobe PostScript 3™ are trademarks of Adobe Systems Incorporated. All other trademarks are the property of their respective manufacturers. The information in this brochure is subject to change without notice. 9/02 44XR-01UA